

Indoor Skating Rink. FAC: 7418

CATCODE: 740678

OPR: AF/A1S

OCR: AFSVA, MAJCOM/A1S

Update: 09 NOV 2022

1.1. **Description.** This facility serves as a roller/ice skating rink requiring a hard surface floor with potential for multipurpose use.

1.2. **Requirements Determination.** See notes section of Table 1.

1.3. **Scope Determination.** Minimum rink size should be 929 m² (10,000 ft²) with additional space as required for support functions. Table 1 gives the recommended size based upon total customer base.

1.4. **Design Considerations.** Contact MAJCOM Director of Services for current criteria and guidelines.

Table 1. Space Allowances for Roller/Ice Skating Rinks.

Total Customer Base ^{1,2}	Gross Area ^{3,4,5,6,7,8}	
	m ²	ft ²
Up to 2,000	929	100,007
2,001 to 20,000	1,390	150,008
20,001 and up	1,860	200,008

NOTES:

- Total customer base is defined as active-duty military personnel assigned to the installation plus 50 percent of dependent personnel. Verify the total customer base using a validated PVA.
- DoD civilians assigned to overseas facilities are to be counted as active-duty strength for facility sizing purposes (including Alaska and Hawaii).
- Because of higher utilization of overseas facilities, consider adding 5 to 10 percent to authorized scope for these facilities (including Alaska and Hawaii).
- Exclusive of mechanical room space.
- Shows maximum authorized scope only, not the scope that may be approved. Base the scope used for programming, budgeting, and design on need as documented by a professional, in-depth market survey. The scope is also influenced by the Services NAF construction prioritization system, which encourages economy in scope and composite facilities.
- The scope can be influenced by PVA. Contact MAJCOM Director of Services for current criteria and guidelines.
- Plus additional space for support functions.
- Includes space for support functions.